

EDQM - Hof-Plauen Airport

- [Overview](#)
- [Tower](#)

Overview

Hof-Plauen ATC Stations

Station	Station ID	Login	Frequency	Remark
Tower	QMT	EDQM_TWR	124.355	--
München Radar	FRK	EDDN_FRK_APP	129.525	Franken Low

Tower

Hof Tower is responsible for aerodrome and ground control at Hof-Plauen Airport. Hof-Plauen has a D(HX) CTR and published IFR procedures that do not require coordination for clearance.

SID Assignment

Endpoint	SID	Runway	Initial Climb	After Departure	Remark
ABERU	1S	08	FL70	Contact München Radar 129.525	-
	2T	26			
KULOK	1S	08	5000 ft		
	2T	26			
LASGA	1S	08	FL 70		
	2T	26			
PEROX	1S	08			
	2T	26			
TABAT	1S	08			
	2T	26			

Operating direction

The operating direction is selected by the tower; München Radar (FRK) must always be informed of the current operating direction.

IFR departures

IFR departures are to be handed over with radar or wake turbulence separation. IFR departures on the same SID are to be handed over with 5 NM or (if higher) wake turbulence separation. Tower is responsible for the separation between 2 IFR departures and between IFR departures and IFR

approaches on a missed approach procedure until the transfer of communications of all flights involved.

IFR arrivals

IFR approaches are handed over from München Radar to Hof Tower using one of the published approach procedures in compliance with radar or (if required) wake turbulence separation. München Radar is responsible for the separation, speed assignments from the tower are not permitted without coordination with München Radar.

Both runway directions are equipped with an RNP approach.

IFR visual approaches

IFR visual approaches are approved for both operating directions without further regulations. München Radar must coordinate these with Hof Tower prior to clearance.

Low Visibility Procedures

There are no defined low visibility procedures in Hof. If the minima cannot be adhered to, no flights are possible.

Use of runway

For operating direction 08, a backtrack generally required. Smaller aircraft can depart directly from intersection B.

VFR traffic



Arrivals and departures

Arrivals and departures take place via the published mandatory reporting points or can be instructed individually. There are no published holding procedures for VFR within the control zone.